## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2007 question paper

## 0580 and 0581 MATHEMATICS

**0580/04 and 0581/04** Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

## **Abbreviations**

In addition to those already seen the following may crop up.

cao - correct answer only

ww - without working

www – without wrong working

oe – or equivalent

soi - seen or implied

bod – benefit of doubt

art – anything rounding to

isw – ignore subsequent working

ft – follow through

oor – out of range

isr – ignore subsequent rounding

rot – rounded or truncated

mog – marks on graph

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

1 (a)	(i)	$385 \times 0.9 \text{ oe}$	M1	Implied by ans 346 or 347
	( )	(\$) <b>346.5</b> (0) cao	<b>A1</b>	www2
	(ii)	$385 \div 1.1(0)$ oe	<b>M1</b>	
		(\$) 350 cao	<b>A1</b>	www2
(b)	(i)	$\frac{23}{2}$ × 210 oe	M1	
		23+19		
		115 cao	<b>A1</b>	www2
	(ii)	their (i) $\times 2.50 + (210 - \text{their (i)}) \times 1.50$	M1	(287.5 + 142.5)
		(\$) 430 cao	<b>A1</b>	www2
	(iii)	$\{\text{their (ii)} - 410\} / 410 \ (\times 100) \text{ oe}$	M1	Dep on (ii) being greater than 410
	, ,	4.88	<b>A1</b>	www2 (4.878)
		1.00		After M0, SC1 for 104.9 or better or 4.9 ww
(c)		2.6(210 - x) or $1.4(210 - x)$ seen	<b>M1</b>	
		2.6(210 - x) + 1.4x = 480	<b>M1</b>	Allow $2.6x + 1.4(210 - x) = 480$
		546 - 480 = 2.6x - 1.4x		
		or $2.6x - 1.4x = 480 - 294$	M1	Dep on M2
		<b>55</b> cao	<b>A1</b>	if trial and error, B4 or B0
				if using simultaneous equations
				x + y = 210 M1
				1.4x + 2.6y = 480 M1
				variable eliminated by correct method M1d
				After 0 scored, SC2 for ans 155 [14]

2 (a) (i)	6	B1	
(ii) (iii)	4.5 $(1 \times 1 + 2 \times 2 + 4 \times 3 + 7 \times 4 + 4 \times 5 +$	B1 M1	Allow 1 slip
(11)		1411	Thow I ship
		Mildon	Jan an 1 <sup>St</sup> M1
	÷ 28 <b>4.54</b>	M1dep A1	dep on 1 <sup>st</sup> M1 www 3 4.53571
(iv)		M1	Accept all probabilities as fracts/dec/%
(1V)	$\frac{4}{28} \times \frac{3}{27}$	IVII	-1 once for words or 2 sf, do not accept
	28 27		ratios i.s. cancelling after correct answer.
	1	<b>A1</b>	www2 e.g. $(\frac{12}{756}, 0.0159 \text{ etc})$
	$\frac{1}{63}$ o.e.		756
(v)		M1	
	$\frac{4}{21} \times \frac{3}{20}$	1411	
		A 1	. (12 0.000 ()
	$\frac{1}{35}$ o.e.	A1	www2 e.g. $(\frac{12}{420}, 0.0286 \text{ etc})$
(vi)	$\frac{24}{28} \times \frac{23}{27} \times \frac{4}{26}$	M1	
	28 ^ 27 ^ 26		
	92	<b>A1</b>	www2 e.g. $(\frac{2208}{19656}, 0.112)$
	$\frac{92}{819}$ o.e.		C (19030)
	01)		
(b) (i)	<b>0.08</b> o.e.	<b>B</b> 1	
(ii)	$0.9 \times 0.05$	M1	
	their (b)(i) $+ 0.9 \times 0.05$	M1dep	dep on 1 <sup>st</sup> M1
	<b>0.125</b> o.e.	<b>A1</b>	www3
(iii)	7	B1 ft	their (ii) × 56 either correct to 3sf or better or
			r.o.t. [16]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

3 (a) (i) (ii)	(0, 1) (4, 0) and (0, 4)	B1 B1B1	Accept w/out brackets/ commas, condone vectors, or states $x = , y =$
(b)	-1 cao	B1	
(c)	$(x) < 0  (\text{allow } \le)$	B1	Any other variable < 0 B0
(d)	$x^2 + 1 = 4 - x$ o.e.	B1	must be these 4 terms
(e)	$\frac{p+(-)\sqrt{q}}{r}$ where $p = -1$ and $r = 2 \times 1$ and $q = 1^2 - 4(1)(-3)$ o.e.	M1 M1	Allow second mark if in form $p \pm \frac{\sqrt{q}}{r}$
	-2.30 , 1.30 cao www4	A1A1	If ww ans.correct but wrong acc - SC3 After A0, A0, SC1 for -2.3027756 and 1.3027756 rounded or truncated
(f)	(-0.5, 4.5 or 4.49)	B1ft B1 ft	f.t (their $-2.30 +$ their $1.30$ ) $\div 2$ ft (4 – their x co-ord dep on attempt at mid value of x from values in e) [12]

4 (a)	(i)	$4\pi 3.5^2 = 153.86$ to 153.96 or 154	M1A1	www2
	(ii)	$\frac{4}{3}\pi 3.5^3 = 179.5$ to 179. 62 or 180	M1A1	www2
	(iii)	their (ii) × 5.6 1005 to 1006 or 1008or 1010 (g)	M1 A1ft	their (ii) × 5.6 correct to 3sf or better (allow in kg)
(b)		$\pi 8^2 \times 8$ (1608-1609) $\pi 8^2 h = 2 \times \text{their (ii)} + \pi 8^2 \times 8$ $(2 \times \text{their (ii)} + \pi 8^2 \times 8) \div (\pi 8^2)$	M1 M1dep M1dep	Alt $\pi 8^2 d = 2 \times \text{their (ii)}$ M1 $(2 \times \text{their (a)(ii))} \div (\pi 8^2)$ M1dep add 8 M1dep
		9.78 to 9.79 (cm)	A1	www4
(c)		1000 (or 1) $\div 4.8 \div \frac{4}{3}\pi$	M1	49.7 (or 0.0497)
		$\sqrt[3]{ans}$ (or $10 \times \sqrt[3]{ans}$ )	M1dep	Dep on previous M1
		<b>3.67 to 3.68</b> (cm)	<b>A1</b>	www3 figs 368 or ans 3.7 gets M2 [13]

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

5	(a)	(i)	$\sqrt{7^2 - 4^2} = 5.74 \text{ (cm)}$	M1A1	www2 5.74456
		(ii)	<b>6.32</b> (cm)	<b>B</b> 1	6.32455
	<b>(b)</b>		$2 \times \frac{1}{2} \times 8 \times 5.74 + 2 \times \frac{1}{2} \times 6 \times 6.32 + 8 \times 6$	M1	
			<b>131.8 to 132</b> (cm <sup>2</sup> )	A1ft	www2 ft $48 + 8 \times \text{their } (a)(i) + 6 \times \text{their}$ (a)(ii)
	(c)	(i)	$((PX)^2) = (\text{their } (a)(i))^2 - 3^2$ $\sqrt{24} \text{ soi or } 4.898 \text{ seen}$	M1 E1	or their $a(ii)^2 - 4^2$ or $7^2 - (3^2 + 4^2)$
		(ii)	$Tan(PNX) = \frac{their(c)(i)}{4} \text{ o.e.}$	M1	Alt correct trig methods involving their (a)(ii) M1 for correct explicit statement
		(iii)	<b>50.7 to 50.84</b> oe (HPN) 180 – 2 × their (ii)	A1 M1	www2 for a trig ratio
		( )	78.3 to 79	<b>A1</b>	www2 Alt – cos rule method – M1 at explicit stage
		(iv)	$\tan = \frac{their(c)(i)}{5} \text{ o.e.}$	M2	M1 for recognition of angle PAX or PAC oe
			44.4 to 44.43°	A1	Alt trig methods with PA = 7 used www3 44.4153086
		(v)	<b>PHN</b> or <b>PGM</b> o.e. (letters)	B1	B0 if extras [15]

	( )	(*)	AD 12 ADD 15 (1.2 )	D1	1
6	(a)	<b>(i)</b>	AB=13 cm <b>and</b> BD=15 cm (± 2 mm)	B1	
			Angle A = $80^{\circ} (\pm 2^{\circ})$	<b>B</b> 1	
			A,B,C,D correct within 4 mm	<b>B</b> 1	Dep. on B2
		(ii)	Angle ADB correct $(57-61^{\circ}) (\pm 2^{\circ})$	B1ft	Either in working or written on diagram
			Angle DCB correct $(101-105^{\circ})$ $(\pm 2^{\circ})$	B1ft	
		(iii)	Acc. bisector of angle A with arcs	B2ft	B1 for accurate without/wrong arcs
			(at least 5 cm long) ( $\pm$ 2°)( $\pm$ 2 mm)		
		(iv)	Acc. perp. bisector of AD with at least 1	B2ft	B1 for accurate without/wrong arcs
			pair of arcs $(\pm 2^{\circ})(\pm 2 \text{ mm})$ (at least 5 cm		B1 for each if accurate with arcs but short
			long)		
		(v)	'Correct' area shaded below their perp.	<b>B</b> 1	Dep. on at least B1 in (iii) and B1 in (iv)
			bisector and below their angle bisector		
	<b>(b)</b>	(i)	$\sin D = \sin 80$	M1	No M marks in (b) for measuring + using
			${26} = {30}$		lengths from diagram e.g. AD = 20 m
			_		but allow 13, 15, 9 used for 26, 30, 18 in b
			$(\sin D)$ 26 sin 80	M1dep	dep on 1 <sup>st</sup> M
			$(\sin D =) \frac{26\sin 80}{30}$		
			<b>58.57</b> to <b>58.6</b> °	A1	www3
		(ii)	Angle $BDC = 41.4$	B1 ft	Ft 100 – their 58.6
		( )	$(BC^2 =)18^2 + 30^2 - 2 \times 18 \times 30 \cos'41.4'$	M1	Allow 41 or 42 for angle BDC
			square root of correct collection	M1dep	Dep on 1 <sup>st</sup> M (413.88)
			<b>20.3 to 20.35</b> (m) cao	A1	www4
		(iii)	$0.5 \times 26 \times 30 \sin 41.4 +$	M2	M1 for correct area of one triangle
		( )	oe		(257.9 or 178.6). Must see calc for
			$0.5 \times 18 \times 30 \sin' 41.4'$		trapezium height if used (30sin '41.4')
					Allow 41 or 42 for angle BDC
			<b>436 to 437</b> (m <sup>2</sup> ) cao	A1	www3 [20]

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

7 (a)	Correct axes	S1	must fit on paper 2mm acc throughout Ignore labels on triangles throughout
(b)	Correct triangle drawn (T)	T1	vertices at (8, 6), (6, 10) and (10, 12)
(c) (i)	Correct reflection in $y = x$ drawn (P)	P2ft	ft their T, P1 for two correct vertices drawn $(6, 8), (10, 6), (12, 10)$ or line $y = x$ correctly drawn (within 2mm of $(12,12)$ if extended)
(ii)	$\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$	В2	B1 for a correct column
(d) (i)	Correct enlargement, scale factor 0.5, centre (0,0) drawn (Q)	Q2ft	(4, 3), (3, 5), (5, 6) Q1 for any enlargement s.f. ½ or 2 correct vertices drawn SC1 for 3 points within 5 mm if rays method used <b>or</b> for correct enlargement but of P
(ii)	Enlargement only (scale factor) 0.5 (centre) (0, 0) o.e.	B1 B1 B1	indep indep
(e)	Correct stretch drawn (R)	R2ft	R1 for two correct vertices ft (4, 6), (3, 10), (5, 12) [13]

		1		
8	(a)	2	<b>B</b> 1	
	<b>(b)</b>	$\frac{3}{2x-1}+1$	M1	
		3 + 2x - 1	M1	Dep on 1 <sup>st</sup> M1
		$\frac{2x-1}{\frac{2+2x}{2x-1}}$ o.e. final ans	<b>A1</b>	www3
	(c)	$y = \frac{3}{x} + 1$		$x = \frac{3}{y} + 1$
		$y - 1 = \frac{3}{x} \text{ or } xy = 3 + x$	M1	Alt $x-1=\frac{3}{y}$
		x(y-1)=3	M1dep	Dep on 1 <sup>st</sup> M1 $y(x-1) = 3$
		$\frac{3}{x-1}$ o.e. final answer	A1	www3 $\frac{3}{x-1}$ o.e
				If answer is $x = \frac{3}{x-1}$ allow M2
	(d)	256	B2	B1 for $2^3 = 8$ or $2^8$ seen
	(e)	$2^x = \frac{3}{-\frac{24}{7}} + 1$	M1	M for r.h.s. followed by attempt at recognising $2^x = \dots$
		-3	<b>A1</b>	After M0, SC1 for 1/8 o.e seen www2 [11]

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2007	0580/0581	04

9 (a)	$-7,512, \frac{8}{9}, 81, 2187, -2106$	В6	B1 each. Allow in any order ignore letters
(b) (i)	(P) <b>9 – 2</b> <i>n</i>	B1	Accept correct expressions in any form e.g. $7 - 2(n-1)$
(ii)	$(Q)   n^3$	<b>B</b> 1	If 'n =' withhold the first mark earned
(iii)	$(R) \qquad \frac{n}{n+1}$	B1	
(iv)	(S) $(n+1)^2$ (T) $3^{n-1}$ (U) $(n+1)^2 - 3^{n-1}$	B1	
(v)	(T) $3^{n-1}$	B1	
(vi)	(U) $(n+1)^2 - 3^{n-1}$	B1ft	their (iv)-their (v) dep on both algebraic expressions
(c)	their(b)(i) = $-777$	M1	
	393 cao	A1	www2
(d)	12	B2	SC1 for 11 or $n - 1 = 11$ or $3^{12}, 3^{11}$ seen [16]