



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDA NUMBER		

MATHEMATICS

0580/22

Paper 2 (Extended)

October/November 2011

1 hour 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator

Mathematical tables (optional)

Geometrical instruments
Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 70.



1	The last bus leaves at 1730.	
	How many times does a bus leave the port during one day?	
	Answer	[2]
2	Factorise completely $ax + bx + ay + by$.	
	Answer	[2]
3	Use your calculator to find the value of	
	(a) $3^0 \times 2.5^2$,	
	Answer(a)	[1]
	(b) 2.5^{-2} .	
	Answer(b)	[1]
4	The cost of making a chair is \$28 correct to the nearest dollar.	
	Calculate the lower and upper bounds for the cost of making 450 chairs.	
	Answer lower bound \$	
	upper bound \$	[2]

	3
5	Jiwan incorrectly wrote $1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} = 1\frac{3}{9}$.
	Show the correct working and write down the answer as a mixed number.
	Answer [3]
	Answer [3]
6	
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.
6	The force, F , between two magnets varies inversely as the square of the distance, d , between them. $F = 150$ when $d = 2$.

Answer F =

[3]

$$7 \qquad \begin{pmatrix} 0 & 2 \\ -3 & 4 \end{pmatrix} \begin{pmatrix} a \\ b \end{pmatrix} = \begin{pmatrix} 8 \\ 25 \end{pmatrix}$$

Find the value of *a* and the value of *b*.

Answer a =	
<i>b</i> =	[3]

8 A cruise ship travels at 22 knots.

[1 knot is 1.852 kilometres per hour.]

Convert this speed into metres per second.

Answer _____ m/s [3]

9	A sequence is given by $u_1 = \sqrt{1}$, $u_2 = \sqrt{3}$,	$u_3 = \sqrt{5} , u_4 = \sqrt{7}$,	
	(a) Find a formula for u_n , the <i>n</i> th term.			
		$Answer(a) u_n =$		[2]
		11. 12. (19) 3n		[-]
	(b) Find u_{29} .			
		Answer(b) $u_{29} =$		[1]
10	Write as a single fraction in its simplest form.			
	$\frac{3}{r+10}$	$-\frac{1}{x+4}$		
	X + 10	x + 4		
		Answer		[2]
		Answei		[3]

11 Find the values of m and n.

(a)
$$2^m = 0.125$$


For Examiner's Use

$$Answer(a) m = [2]$$

(b)
$$2^{4n} \times 2^{2n} = 512$$

$$Answer(b) n = [2]$$

12



A small car accelerates from $0\,\text{m/s}$ to $40\,\text{m/s}$ in 6 seconds and then travels at this constant speed. A large car accelerates from $0\,\text{m/s}$ to $40\,\text{m/s}$ in 10 seconds.

Calculate how much further the small car travels in the first 10 seconds.

Answer _____ m [4]

North
North
NOT TO
SCALE

Examiner's Use

AOC is a diameter of the circle, centre O. AT is a straight line that cuts the circle at B. PT is the tangent to the circle at C. Angle $COB = 76^{\circ}$.

(a) Calculate angle ATC.


Answer(a) Angle ATC = [2]

(b) T is due north of C.

Calculate the bearing of *B* from *C*.

Answer(b) [2]






The region R is bounded by three lines.

Write down the three inequalities which define the region R.

Answer	

[4]





The points A(1, 2) and B(5, 5) are shown on the diagram.

(a) Work out the co-ordinates of the midpoint of AB.


(b) Write down the column vector \overrightarrow{AB} .

$$Answer(b) \overrightarrow{AB} = \left(\begin{array}{c} \\ \\ \end{array} \right)$$
 [1]

(c) Using a straight edge and compasses only, draw the locus of points which are equidistant from A and from B. [2]

	ch car only uses one type	of fuel.		
	Petrol	Diesel	Liquid Hydrogen	Electricity
	40	12	2	6
(a)	Write down the mode.			
			Answer(a)	
(b)	Olav drew a pie chart to	illustrate these figur	es.	
	Calculate the angle of the	ne sector for Diesel.		
			Answer(b)	
(c)	Calculate the probability	y that a car chosen at		······································
(c)	Calculate the probability Write your answer as a		random uses Electricity	·.
(c)			random uses Electricity	·,
(c)			random uses Electricity	······································

For Examiner's Use



O is the origin, $\overrightarrow{OA} = \mathbf{a}$, $\overrightarrow{OC} = \mathbf{c}$ and $\overrightarrow{CB} = 4\mathbf{a}$. *M* is the midpoint of *AB*.

- (a) Find, in terms of a and c, in their simplest form
 - (i) the vector \overrightarrow{AB} ,

$$Answer(a)(i) \overrightarrow{AB} =$$
 [2]

(ii) the position vector of M.

$$Answer(a)$$
(ii) [2]

(b) Mark the point *D* on the diagram where $\overrightarrow{OD} = 3\mathbf{a} + \mathbf{c}$.

18

$$w = \frac{1}{\sqrt{LC}}$$

(a) Find w when $L = 8 \times 10^{-3}$ and $C = 2 \times 10^{-9}$. Give your answer in standard form.


$$Answer(a) w =$$
 [3]

(b) Rearrange the formula to make *C* the subject.

$$Answer(b) C =$$
 [3]

Question 19 is printed on the next page.





A(1,3), B(4,1) and C(6,4) are shown on the diagram.

- (a) Using a straight edge and compasses only, construct the angle bisector of angle ABC. [2]
- **(b)** Work out the equation of the line *BC*.

Answer(b) [3]

(c) ABC forms a **right-angled isosceles** triangle of area 6.5 cm².

Calculate the length of AB.

Answer(c) AB = cm [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.