## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

## 0580 MATHEMATICS

0580/43

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0580	43

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working art anything rounding to soi seen or implied

Qu.		Answers	Mark	Part Marks
1	(a)	1 min 36 s www	3	M1 for 1.2 × 0.8 × 0.5 (= 0.48) A1 1.6 or 96 If A0, B1 for correctly converting to min and sec Dep on M1
	(b)	0.954 to 0.956 www	3	<b>M2</b> for $\frac{\text{their } 0.48}{\pi \times 0.4^2}$ or <b>M1</b> for $\pi \times 0.4^2 \times d = 0.48$
	(c)	8.09 to 8.10 www	4	M1 for $\pi \times 0.4^2$ (0.503) condone $\times$ 2 and M1 for $\pi \times 0.8 \times 1.2$ (3.02) M1 for their area $\times$ 2.3 (dep M1 M1)
2	(a)	0.5, 4	1+1	
	(b)	6 points plotted ft	P2	P1 for 5 points
		Correct shaped curve through 6 points (exponential)	<b>C</b> 1	Ignore to left of $x = -2$
	(c)	(i) Correct ruled line reaching both points	L1	
		(ii) 6 ÷ 3 oe	1	Allow 'test' with a coordinate on the line (not 0, 2)
		(iii) -0.8 to -0.6	1	Dep on L1
	(d)	Tangent drawn at (1, 2)	<b>T1</b>	Not chord, allow up to 1 mm daylight
		Rise/run attempt using correct scales	M1	Dep on T1
		1.2 to 1.6 cao	<b>A1</b>	
3	(a)	(i) 50 www3	3	<b>B1</b> for angle $ADB$ or $ABD = 70$ <b>B1</b> for angle $DBC = 80$
		(ii) Angle $DCB \neq \text{angle } CBE$ oe	1	Accept angle $CDB \neq \text{angle } ABD$
	(b)	12	В3	<b>M2</b> for $\frac{5n}{2} = \frac{360}{n}$ oe
				or M1 for 360 soi
	(c)	65 www	3	OAC = 25, $CAB = 25$ , $OBA = 50$ , $BOC = 50$ , $AOB = 80$ , $AOC = 130$ <b>B1</b> each, max 2

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0580	43

4	(a)	Image $(1, -1), (1, -2), (4, -2), (3, -1)$	2	<b>B1</b> if vertices plotted only or reflects in $y = -x$
	(b)	Image (-3, 2), (-4, 2), (-4, 5), (-3, 4)	2	<b>B1</b> for translation by $\begin{pmatrix} -2\\k \end{pmatrix}$ or $\begin{pmatrix} k\\1 \end{pmatrix}$
	(c)	(i) Rotation only,	1	Spoilt if extras
		90 clockwise oe,	1	
		(Centre) $(0, 0)$ oe	1	
		$\begin{array}{cc} \textbf{(ii)} & \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix} \end{array}$	2	B1 for one row or one column correct
	(d)	Stretch only,	1	Spoilt if extras
		(Factor) 2,	1	
		<i>x</i> -axis oe invariant	1	
5	(a)	55 www	B4	M3 for $3w + 6(w + 5) = 525$ oe in \$ or $(3j - 5) + 6j = 525$ oe in \$ or M2 for $j = w + \text{figs5}$ oe and $3w + 6j = \text{figs525}$ or M1 for $w$ and $w + \text{figs5}$ or $j$ and $j$ - figs5
	(b)	(i) $\frac{72}{x} - \frac{72}{x+3} = 2$ oe	M2	M1 for $\frac{72}{x}$ or $\frac{72}{x+3}$
		72(x+3) - 72x = 2x(x+3) oe	M1	Dep on 3 terms above Fractions removed, isw
		(ii) −12, 9 www	3	<b>M2</b> for $(x + 12)(x - 9)$ or $\frac{-3 \pm \sqrt{441}}{2}$
				or <b>SC1</b> for $(x+a)(x+b)$ where $ab = -108$
				or $a + b = 3$ or $\frac{-3 \pm \sqrt{3^2 - 4 \times 1 \times -108}}{2}$
		(iii) 30	1	ft $3 \times a$ positive root $+ 3$
6	(a)	(i) 13 or 13.0 www	3	M1 for $3^2 + 4^2$ oe Equiv if find $AC$ first and M1 for $\sqrt{12^2 + \text{their } (3^2 + 4^2)}$
		(ii) 13.32 to 13.35 or 13.3	2	M1 for $\sin = \frac{3}{\text{their } AP}$ or $\tan = \frac{3}{\text{their } AC}$ oe
	(b)	(i) 36.86 to 36.87 or 36.9	2	M1 for tan $(PBC) = \frac{3}{4}$ oe
		(ii) 2.770 to 2.774 or 2.77	3	M2 for $\frac{4 \sin \operatorname{their}(\mathbf{b})(\mathbf{i})}{\sin 120}$ or M1 for correct
				implicit eqn

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0580	43

7	(a)	3 < t ≤ 4	1	Condone alt. notation used for class
	<b>(b)</b>	1 2.5 3.5 6	M1	Mid-interval values soi
		$\sum fx$ with x in correct interval	M1	Allow 1 slip (24 170 252 216)
		662 ÷ 200	M1	M1 dep on second M1
		3.31 cso	<b>A1</b>	
	(c)	(i) 92, 164	1	
		(ii) (2, 24), (3, 92), (4, 164), (8, 200) ft	P2ft	P1ft for 3 points
		Curve/polygon through the 4 points	1ft	ft increasing curve/polygon
		(iii) $3 \le \text{med} \le 3.2$	<b>B</b> 1	
		$2.4 \le lq \le 2.7$	<b>B</b> 1	
		$0.9 \le iqr \le 1.5$	<b>B</b> 1	
8	(a)	243	2	<b>B1</b> for $(g(-2) =)$ 5 seen or $3^{(1-2x)}$
	(b)	$\frac{1-x}{2}$ or $\frac{x-1}{-2}$ final ans	2	<b>M1</b> for $x = 1 - 2y$ or $x = (1 - y)/2$
	(c)	$\frac{-1 \pm \sqrt{1^2 - 4(1)(-1)}}{2(1)}$	B2	<b>B1</b> for $\sqrt{1^2 - 4(1)(-1)}$ or better $(\sqrt{5})$ seen anywhere
				If in form $\frac{p+\sqrt{q}}{r}$ or $\frac{p-\sqrt{q}}{r}$ <b>B1</b> for $p=-1$ and $r=2(1)$
		-1.62, 0.62	B1B1	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `
	(d)	$4x^2 - 6x + 1$ final ans www3	3	M1 for $(1-2x)^2 + (1-2x) - 1$ or better and B1 for $(1-2x)^2 = 1 - 2x - 2x + 4x^2$ or better
	(e)	9	1	

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0580	43

9			Accept fraction, %, dec equivalents (3sf or better when not exact) throughout but not ratio or words isw incorrect cancelling/conversion to other forms
	(a) (i) $\frac{1}{4}$ oe	1	
	(ii) 25 cao	1ft	ft their $\frac{1}{4} \times 100$ to 3sf or better or rounding or truncating to integer Not 25/100
	<b>(b)</b> $\frac{2}{12}$ oe cao	2	<b>M1</b> for $\frac{2}{4} \times \frac{1}{3}$ 0.167, 16.7%
	(c) $\frac{7}{20}$ oe cao	3	<b>M2</b> for $\frac{1}{4} \times \frac{4}{5} + \frac{3}{4} \times \frac{1}{5}$
			or M1 for $\frac{1}{4} \times \frac{4}{5}$ or $\frac{3}{4} \times \frac{1}{5}$ After 0, SC1 for 7 correct in list (condone UU in addition)
	(d) $\frac{6}{60}$ oe cao	2	<b>M1</b> for $\frac{3}{5} \times \frac{2}{4} \times \frac{1}{3} \times \left(\frac{2}{2}\right)$
10	(a) $20x + 10y \ge 200$	1	In (a), (b) -1 once for wrong symbol
	<b>(b)</b> $x + y \le 15, y \ge 3, y \le x$	3	B1 for each
	(c)		All lines long enough to make full boundary of region, accept dashed or solid lines, 2 mm acc at intercepts
	2x + y = 20  ruled	<b>B2</b>	<b>B1</b> for ruled line through (10, 0) or (0, 20)
	x + y = 15 ruled	<b>B</b> 1	
	y = x ruled	<b>B</b> 1	
	y = 3 ruled	<b>B</b> 1	-1 once, freehand
	Quadrilateral identified	R1	Allow if slight inaccuracy(s) in diagonal lines Allow any clear indication of region
	(d) (i) 47 cao	1	
	(ii) 7,6 cao	2	M1 for any $5x + 2y$ in their region evaluated to equal their 47

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0580	43

	I			
11	(a)	(i) $\begin{pmatrix} 8 \\ 1 \end{pmatrix}$	1	
		(ii) Point (3, 4) indicated	1	
		(iii) $\begin{pmatrix} -3\\1 \end{pmatrix}$	1	
	(b)	(i) $-\frac{5}{12}\mathbf{u} + \frac{2}{3}\mathbf{v}$ oe 2 terms	4	M1 for any correct route $L$ to $K$ e.g. $LU + UK$ and B1 for $LU = \mathbf{u}/4$ oe or $OL = \frac{3}{4}\mathbf{u}$ oe and B1 for $UK = \frac{2}{3}(\mathbf{v} - \mathbf{u})$ oe or $VK = \frac{1}{3}(\mathbf{u} - \mathbf{v})$ oe all Bs are soi
		(ii) $\frac{13}{24}u + \frac{1}{3}v$ oe 2 terms	2	M1 for correct route from $O$ to $M$ e.g. $OL + LM$ (can be in terms of $\mathbf{u}, \mathbf{v}$ )
12	(a)	(i) 12,, 30	2	B1 each
		(ii) $(n+1)(n+2)$ oe	1	isw if expand incorrectly
		<b>(iii)</b> $p = 2$	1	
		q = 2	1	
		(iv) 69(th), 70(th)	2	<b>M1</b> for their $2n + 2 = 140$ soi
	<b>(b)</b>	(i) $2 \times 3 + 7$	1	Accept $2 \times 3 + 2 \times 2 + 3$
		(ii) 27	1	
		(iii) 1707,, 13 653	1,1	